Serial No.: 10/036,289

<u>Listing of the Claims</u>:

The following Listing of the Claims will replace all prior versions and all prior listings of the claims in the present application:

- 1. (Allowed) A method of determining the presence or absence of a target microbe in a liquid water sample, said method consisting of the steps of:
- a) combining a liquid water sample and a powdered medium having at least one nutrient indicator, said nutrient indicator being selected from the group consisting of: orthonitrophenyl-B-D-glucuronide; B-napthalamide-B-D-glucuronide; α-napthol-B-D-glucuronide; and methylumbelliferyl-B-D-glucuronide, to form a mixture;
- b) incubating the mixture for a time sufficient to produce a detectable color signal indicative of the presence or absence of a target microbe;
- c) observing the signal to determine the presence or absence of said target microbe in said sample.
- 2. (Allowed) The method of claim 1 wherein said detectable color signal is a visible color signal.
- 3. (Allowed) The method of claim 1 wherein said detectable color signal is a fluorescent color signal.
- 4. (Allowed) The method of claim 1 wherein said medium lacks a gelling agent.
- 5. (Allowed) The method of claim 1 wherein said powdered medium is free of target microbes.
- 6. (Allowed) A method of determining the presence or absence of a target microbe in a liquid water sample, said method consisting of the steps of:
- a) combining a liquid water sample and a powder having at least one nutrient indicator, said nutrient indicator being selected from the group consisting of: orthonitrophenyl-B-D-glucuronide; B-napthalamide-B-D-glucuronide; α-napthol-B-D-glucuronide; and methylumbelliferyl-B-D-glucuronide, to form a mixture;

Serial No.: 10/036,289

b) incubating the mixture for a time sufficient to produce a detectable color signal indicative of the presence or absence of a target microbe;

- c) observing the signal to determine the presence or absence of said target microbe in said sample.
- 7. (Amended) A method of determining the presence or absence of a target microbe in a liquid water sample, said method comprising the following steps, in order:
- a) combining a liquid water sample and a powder having at least one nutrient indicator, said nutrient indicator being selected from the group consisting of: orthonitrophenyl-B-D-glucuronide; B-napthalamide-B-D-glucuronide; α-napthol-B-D-glucuronide; and methylumbelliferyl-B-D-glucuronide, to form a mixture;
- b) incubating the mixture for a time sufficient to produce a detectable color signal indicative of the presence or absence of a target microbe without the need of performing a preliminary target microbe growth step;
- c) observing the signal to determine the presence or absence of said target microbe in said sample.